

## Bibliographie, cours nerf crâniens

Latifpour, D. H., Grenner, J., & Sjö Dahl, C. (2009). The effect of a new treatment based on somatosensory stimulation in a group of patients with somatically related tinnitus. *The international tinnitus journal*, 15(1), 94–99.

Levine, R. A., Nam, E. C., Oron, Y., & Melcher, J. R. (2007). Evidence for a tinnitus subgroup responsive to somatosensory based treatment modalities. *Progress in brain research*, 166, 195–207. [https://doi.org/10.1016/S0079-6123\(07\)66017-8](https://doi.org/10.1016/S0079-6123(07)66017-8)

Tunkel, D. E., Bauer, C. A., Sun, G. H., Rosenfeld, R. M., Chandrasekhar, S. S., Cunningham, E. R., Jr, Archer, S. M., Blakley, B. W., Carter, J. M., Granieri, E. C., Henry, J. A., Hollingsworth, D., Khan, F. A., Mitchell, S., Monfared, A., Newman, C. W., Omole, F. S., Phillips, C. D., Robinson, S. K., Taw, M. B., ... Whamond, E. J. (2014). Clinical practice guideline: tinnitus. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 151(2 Suppl), S1–S40. <https://doi.org/10.1177/0194599814545325>

Han, B. I., Lee, H. W., Kim, T. Y., Lim, J. S., & Shin, K. S. (2009). Tinnitus: characteristics, causes, mechanisms, and treatments. *Journal of clinical neurology (Seoul, Korea)*, 5(1), 11–19. <https://doi.org/10.3988/jcn.2009.5.1.11>

Michiels, S., Naessens, S., Van de Heyning, P., Braem, M., Visscher, C. M., Gilles, A., & De Hertogh, W. (2016). The Effect of Physical Therapy Treatment in Patients with Subjective Tinnitus: A Systematic Review. *Frontiers in neuroscience*, 10, 545. <https://doi.org/10.3389/fnins.2016.00545>

## Causes of the Mystery Ear Pain

<https://www.fauquierent.net/otalgia>

Sanchez, T. G., & Rocha, C. B. (2011). Diagnosis and management of somatosensory tinnitus: review article. *Clinics (Sao Paulo, Brazil)*, 66(6), 1089–1094. <https://doi.org/10.1590/s1807-59322011000600028>

Guimarães, T. O. C., Oliveira, A. J., Araújo, R. R., Lobê, N. C., Vidal, D. G., Araújo, A. S., & Sá, K. N. (2023). The Influence of Degrees of Severity of Temporomandibular Dysfunction on Report of Vestibular Symptoms - A Cross-Sectional Study. *The Journal of manual & manipulative therapy*, 31(1), 32–37. <https://doi.org/10.1080/10669817.2022.2064084>

Wieckiewicz, M., Grychowska, N., Nahajowski, M., Hnitecka, S., Kempniak, K., Charemska, K., Balicz, A., Chirkowska, A., Zietek, M., & Winocur, E. (2020). Prevalence and Overlaps of Headaches and Pain-Related Temporomandibular Disorders Among the Polish Urban

Population. *Journal of oral & facial pain and headache*, 34(1), 31–39.  
<https://doi.org/10.11607/ofph.2386>

Manzo, N., Ginatempo, F., Belvisi, D., Defazio, G., Conte, A., Deriu, F., & Berardelli, A. (2022). Pathophysiological mechanisms of oromandibular dystonia. *Clinical neurophysiology : official journal of the International Federation of Clinical Neurophysiology*, 134, 73–80. <https://doi.org/10.1016/j.clinph.2021.11.075>

Zakrzewska J. M. (2013). Differential diagnosis of facial pain and guidelines for management. *British journal of anaesthesia*, 111(1), 95–104.  
<https://doi.org/10.1093/bja/aet125>

Petersen, S. M., Jull, G. A., & Learman, K. E. (2019). Self-reported sinus headaches are associated with neck pain and cervical musculoskeletal dysfunction: a preliminary observational case control study. *The Journal of manual & manipulative therapy*, 27(4), 245–252. <https://doi.org/10.1080/10669817.2019.1572987>

Renton T. (2021). Refractory Orofacial Pain: Is It the Patient or the Pain?. *Journal of oral & facial pain and headache*, 35(4), 317–325. <https://doi.org/10.11607/ofph.3009>

Tait, R. C., Ferguson, M., & Herndon, C. M. (2017). Chronic Orofacial Pain: Burning Mouth Syndrome and Other Neuropathic Disorders. *Journal of pain management & medicine*, 3(1), 120.

Haviv, Y., Zini, A., Keshet, N., Almozni, G., Benoliel, R., & Sharav, Y. (2020). Features of Neurovascular Orofacial Pain Compared to Painful Posttraumatic Trigeminal Neuropathy. *Journal of oral & facial pain and headache*, 34(2), 121–128.  
<https://doi.org/10.11607/ofph.2448>

Le diagnostic émis par le physiothérapeute  
<https://oppq.qc.ca/formation/diagnostic-physiotherapie/>

Kraśnińska-Mazur, M., Homel, P., Gala, A., Stradomska, J., & Pihut, M. (2022). Differential diagnosis of temporomandibular disorders - a review of the literature. *Folia medica Cracoviensia*, 62(2), 121–137. <https://doi.org/10.24425/fmc.2022.141703>

Pertes R. A. (1998). Differential diagnosis of orofacial pain. *The Mount Sinai journal of medicine, New York*, 65(5-6), 348–354.

De Leeuw, Reny. Orofacial Pain: Guidelines for Assessment, Diagnosis, and Management  
[https://web.archive.org/web/20200211191455id\\_/http://www.stomaeduj.com/wp-content/uploads/2019/07/15-BR-2-2015-Orofacial-Pain.pdf](https://web.archive.org/web/20200211191455id_/http://www.stomaeduj.com/wp-content/uploads/2019/07/15-BR-2-2015-Orofacial-Pain.pdf)

Von Piekartz, H., Geitner, G., Möller, D., Braun, R., & Hall, T. (2022). Does combined individualized orofacial manual therapy, pain neuroscience education, and brain training change orofacial pain, chronic face dysfunction, (facial) body perception and pain? An observational mixed methods case series study. *The Journal of manual & manipulative therapy*, 30(3), 180–191. <https://doi.org/10.1080/10669817.2021.2018102>

Garrigós-Pedron, M., La Touche, R., Navarro-Desentre, P., Gracia-Naya, M., & Segura-Ortí, E. (2018). Effects of a Physical Therapy Protocol in Patients with Chronic Migraine and Temporomandibular Disorders: A Randomized, Single-Blinded, Clinical Trial. *Journal of oral & facial pain and headache*, 32(2), 137–150. <https://doi.org/10.11607/ofph.1912>

Rossi, P., De La Torre, E. R., Mitsikostas, D., Di Lorenzo, C., & Palmaro, A. (2020). Availability of Effective Evidence-Based Symptomatic Treatments for Cluster Headache in the EU Countries-A Survey of the European Headache Alliance and European Headache Federation. *Journal of oral & facial pain and headache*, 34(1), 7–12. <https://doi.org/10.11607/ofph.2223>

Svensson, P., & Exposto, F. (2020). Commentary 2: Further Evidence for Overlaps Among Chronic Pain Conditions-But No News About Causal Relationships. *Journal of oral & facial pain and headache*, 34(Suppl), s6–s8. <https://doi.org/10.11607/ofph.2020.suppl.c2>

Slade, G. D., Greenspan, J. D., Fillingim, R. B., Maixner, W., Sharma, S., & Ohrbach, R. (2020). Overlap of Five Chronic Pain Conditions: Temporomandibular Disorders, Headache, Back Pain, Irritable Bowel Syndrome, and Fibromyalgia. *Journal of oral & facial pain and headache*, 34(Suppl), s15–s28. <https://doi.org/10.11607/ofph.2581>

Ashraf, J., Zaproudina, N., Suominen, A. L., Sipilä, K., Närhi, M., & Saxlin, T. (2019). Association Between Temporomandibular Disorders Pain and Migraine: Results of the Health 2000 Survey. *Journal of oral & facial pain and headache*, 33(4), 399–407. <https://doi.org/10.11607/ofph.2213>

Reiter, S., Emodi-Perlman, A., Kasiel, H., Abboud, W., Friedman-Rubin, P., Arias, O. W., & Manor, Y. (2021). Headache Attributed to Temporomandibular Disorders: Axis I and II Findings According to the Diagnostic Criteria for Temporomandibular Disorders. *Journal of oral & facial pain and headache*, 35(2), 119–128. <https://doi.org/10.11607/ofph.2863>

da Costa, D. R., de Lima Ferreira, A. P., Pereira, T. A., Porporatti, A. L., Conti, P. C., Costa, Y. M., & Bonjardim, L. R. (2015). Neck disability is associated with masticatory myofascial pain and regional muscle sensitivity. *Archives of oral biology*, 60(5), 745–752. <https://doi.org/10.1016/j.archoralbio.2015.02.009>

Shinozaki, T., Sakamoto, E., Shiiba, S., Ichikawa, F., Arakawa, Y., Makihara, Y., Abe, S., Ogawa, A., Tsuboi, E., & Imamura, Y. (2006). Cervical plexus block helps in diagnosis of orofacial pain originating from cervical structures. *The Tohoku journal of experimental medicine*, 210(1), 41–47. <https://doi.org/10.1620/tjem.210.41>

Messina G. (2017). The Tongue, Mandible, Hyoid System. *European journal of translational myology*, 27(1), 6363. <https://doi.org/10.4081/ejtm.2017.6363>

Pihut, M., Szuta, M., Ferendiuk, E., & Zeńczak-Więckiewicz, D. (2014). Differential diagnostics of pain in the course of trigeminal neuralgia and temporomandibular joint dysfunction. *BioMed research international*, 2014, 563786. <https://doi.org/10.1155/2014/563786>

Bisla, S., Taneja, P., & Yadav, R. (2021). Analgesic efficacy of transcutaneous electrical nerve stimulation in trigeminal neuralgia: A randomized controlled clinical trial. *Journal of Dental Anesthesia and Pain Medicine*, 21(6), 565-574. <https://doi.org/10.17245/jdapm.2021.21.6.565>

Al-Azab, I. M., Elsodany, A. M., & Soliman, E. S. (2023). Effect of pulsed electromagnetic field versus low-level laser therapy in diabetic patients with trigeminal neuralgia: A randomized controlled trial. *European Journal of Physical and Rehabilitation Medicine*, 59(5), 731-739. <https://doi.org/10.23736/S1973-9087.23.07955-8>

AlHabil, Y., Alhalabi, M., & AlHabil, A. (2025). The effectiveness of transcutaneous electrical nerve stimulation in patients with primary trigeminal neuralgia: A systematic review and meta-analysis. *BMC Neurology*, 25, 38. <https://doi.org/10.1186/s12883-025-04021-y>

Haghighat, S., Taheri, M., & Hashemi, S. (2024). Effectiveness of low-level laser therapy in trigeminal neuralgia: A systematic review. *Dentistry Journal*, 12(4), 109. <https://doi.org/10.3390/dj12040109>

Falaki, F., Nejat, A. H., & Dalirsani, Z. (2014). Clinical efficacy of low-level laser therapy in the management of trigeminal neuralgia: A systematic review. *Journal of Dental Research, Dental Clinics, Dental Prospects*, 8(1), 47-52. <https://doi.org/10.5681/joddd.2014.008>

De Pedro, M., López-Pintor, R. M., De la Hoz-Aizpurua, J. L., & Hernández-Vallejo, G. (2020). Efficacy of low-level laser therapy in the management of neuropathic orofacial pain: A systematic review and meta-analysis. *Journal of Oral & Facial Pain and Headache*, 34(2), 179-190. <https://doi.org/10.11607/ofph.2420>

Claypool, A., Hegmann, K., & Mooney, C. (2023). Multimodal physical therapy management of trigeminal neuralgia: A four-year case report. *JOSPT Cases*, 3(3), 120-128. <https://doi.org/10.2519/josptcases.2023.11589>

Rodine, R. J., & Vernon, H. (2010). Chiropractic management of a patient with trigeminal neuralgia. *Journal of the Canadian Chiropractic Association*, 54(1), 47-54.

Lambru, G., Zakrzewska, J. M., & Matharu, M. S. (2021). Trigeminal neuralgia: Practical guide. *Practical Neurology*, 21(6), 440-451. <https://doi.org/10.1136/practneurol-2021-002946>

Kim, Y. J., & Kim, D. W. (2017). Treatment of great auricular neuralgia with ultrasound-guided great auricular nerve block: A case report and review of the literature. *Medicine*, 96(5), e6007. <https://doi.org/10.1097/MD.00000000000006007>

Choi, I., & Jeon, S. R. (2016). Neuralgias of the head: Occipital neuralgia. *Journal of Korean Medical Science*, 31(4), 479-488. <https://doi.org/10.3346/jkms.2016.31.4.479>

Levin, M. (2010). Occipital neuralgia. *Current Pain and Headache Reports*, 14(4), 326-330. <https://doi.org/10.1007/s11916-010-0126-1>

Vuong, A. D. (2014). Occipital neuralgia and cervicogenic headache: Similar anatomy and treatment. *Practical Pain Management*, 14(4), 42-46.

Guerrero, A. L., Herrero-Velázquez, S., Peñas, M. L., Mulero, P., Pedraza, M. I., Cortijo, E., & Rojo, E. (2012). Trigeminal and autonomic headache responsive to third occipital nerve radiofrequency ablation: A case of cervicogenic headache. *Headache: The Journal of Head and Face Pain*, 52(3), 478-483. <https://doi.org/10.1111/j.1526-4610.2011.02056.x>

Kondo, T., Nakano, H., Sakamoto, N., Ishii, T., Takahashi, K., Sakurai, T., ... & Hara, T. (2015). Clinical practice guidelines for the management of olfactory dysfunction: Secondary publication. *Auris Nasus Larynx*, 42(6), 409-420. <https://doi.org/10.1016/j.anl.2015.08.006>

Carlesso, L. C., Gross, A. R., Santaguida, P. L., Burnie, S. J., Voth, S., & Goldsmith, C. H. (2010). Effectiveness of spinal manipulation in influencing the autonomic nervous system: A systematic review and meta-analysis of randomized controlled trials. *Journal of Manipulative and Physiological Therapeutics*, 33(8), 602-618. <https://doi.org/10.1016/j.jmpt.2010.09.002>

Leclècq, D., Thiebaut, J.-B., & Hébrard, F. (2007). Le point sur : Névralgie du trijumeau. *La Presse Médicale*, 36(21), 1553-1560. <https://doi.org/10.1016/j.lpm.2007.07.018>

Forssell, H., Jaaskelainen, S., Tenovuo, O., & Hinkka, S. (2002). Somatosensory profiling of patients with burning mouth syndrome and correlations with psychologic factors. *Journal of Orofacial Pain*, 16(3), 224-230.

Svensson, P., Cairns, B. E., Wang, K., Hu, J. W., Graven-Nielsen, T., & Arendt-Nielsen, L. (2003). Nerve growth factor-induced sensitization of the trigeminal nociceptive system: Effects on mechanical allodynia and muscle pain in healthy humans. *Pain*, 104(1-2), 241–247. [https://doi.org/10.1016/S0304-3959\(03\)00013-0](https://doi.org/10.1016/S0304-3959(03)00013-0)

Baad-Hansen, L., Juhl, G. I., Jensen, T. S., & Svensson, P. (2005). The diagnostic value of magnetic resonance imaging in post-traumatic trigeminal neuropathic pain. *Pain*, 118(3), 359–367. <https://doi.org/10.1016/j.pain.2005.08.019>

Kim, H. J., Kim, S. T., Cho, J. H., Ahn, H. J., & Kim, H. S. (2017). Evaluation of the efficacy of auriculotemporal nerve block in temporomandibular disorders. *Journal of Oral & Facial Pain and Headache*, 31(3), 228–234. <https://doi.org/10.11607/ofph.1737>

Piovesan, E. J., Kowacs, P. A., & Tatsui, C. E. (2003). The treatment of trigeminal autonomic cephalalgias: An overview. *Current Pain and Headache Reports*, 7(4), 308–315. <https://doi.org/10.1007/s11916-003-0026-9>

Mucha, A., Collins, M. W., Elbin, R. J., Furman, J. M., Troutman-Enseki, C., & Kontos, A. P. (2014). A brief vestibular/ocular motor screening (VOMS) assessment to evaluate concussions: Preliminary findings. *The American Journal of Sports Medicine*, 42(10), 2479–2486. <https://doi.org/10.1177/0363546514543775>

Thiagarajan, P., Ciuffreda, K. J., & Capo-Aponte, J. E. (2014). Effect of oculomotor rehabilitation on accommodative responsivity in mild traumatic brain injury. *Journal of Rehabilitation Research and Development*, 51(2), 175–190. <https://doi.org/10.1682/JRRD.2013.01.0020>

Gandolfi, M., Geroïn, C., Marchioretto, F., Smania, N., & Tinazzi, M. (2015). Effects of oculomotor and gaze-stability exercises on balance after stroke: A randomized clinical trial protocol. *Porto Biomedical Journal*, 1(1), 16–21. <https://doi.org/10.1016/j.pbj.2015.10.003>

Mucha, A., Collins, M. W., Elbin, R. J., Furman, J. M., Troutman-Enseki, C., & Kontos, A. P. (2014). Vestibular/Ocular Motor Screening (VOMS) assessment for concussion. University of Pittsburgh Medical Center (UPMC) Sports Medicine Concussion Program.

Thiagarajan, P., Ciuffreda, K. J., & Capo-Aponte, J. E. (2014). Effect of oculomotor rehabilitation on accommodative responsivity in mild traumatic brain injury. *Journal of Rehabilitation Research & Development*, 51(2), 175–190. <https://doi.org/10.1682/JRRD.2013.01.0020>

Gandolfi, M., Geroïn, C., Marchioretto, F., Smania, N., & Tinazzi, M. (2015). Effects of oculomotor and gaze-stability exercises on balance after stroke: A randomized clinical trial protocol. *Porto Biomedical Journal*, 1(1), 16–21. <https://doi.org/10.1016/j.pbj.2015.10.003>

Kapoor, N., Ciuffreda, K. J., & Han, Y. (2004). Versional eye tracking in mild traumatic brain injury (mTBI): Effects of oculomotor training (OMT). *Brain Injury*, 18(3), 257–272.  
<https://doi.org/10.1080/02699050310001645829>

Pierron, M., Vienne, C., & Arnoux, P. (2018). Relationship of the lateral rectus muscle, the supraorbital nerve, and oculomotor coordination in episodic tension-type headache frequently associated with visual effort. *Cephalalgia*, 38(8), 1367–1376.  
<https://doi.org/10.1177/0333102417726987>

Côté, P., Thomas, E., & Bissonnette, V. (2017). Influence of neck flexion on near point convergence in subjects with idiopathic neck pain. *Musculoskeletal Science and Practice*, 29, 55–61. <https://doi.org/10.1016/j.msksp.2017.02.015>

Boucher, V., & Savard, N. (2022). Traiter les troubles oculomoteurs : maximiser la synergie entre la physiothérapie et l'optométrie. Présentation conjointe, Congrès professionnel interdisciplinaire en réadaptation, Québec, Canada.

Oxford Medical Education. (2021). Rinne's and Weber's tests: Tuning fork tests. Retrieved from <https://oxfordmedicaleducation.com>

Chen, R. C., & Lemos, S. A. (1999). The radiology of referred otalgia. *Clinical Radiology*, 54(6), 404–408. [https://doi.org/10.1016/S0009-9260\(99\)91143-6](https://doi.org/10.1016/S0009-9260(99)91143-6)

Kilpatrick, S. R. (2005). Craniofacial neural disorders: A guide for diagnosis and management. *Compendium of Continuing Education in Dentistry*, 26(4), 294–304.

Waridel, S., & Bellemare, V. (2023, February). Acouphènes : Présentation clinique et pistes de gestion. Communication présentée à la Polyclinique de l'Oreille, Québec, Canada.

Magoun, H. I. (1986). Entrapment neuropathy of the central nervous system. Part II: Cranial nerves I–IV, VI–VIII, XII. *Journal of the American Osteopathic Association*, 86(4), 184–193.

Magoun, H. I. (1986). Entrapment neuropathy of the central nervous system. Part III: Cranial nerves V, IX, X, XI. *Journal of the American Osteopathic Association*, 86(4), 194–203.

Magoun, H. I. (1984). Entrapment neuropathy in the cranium. *Journal of the American Osteopathic Association*, 84(4), 184–192.

Shankland, W. E. (2001). The trigeminal nerve, Part I: An overview. *Cranio: The Journal of Craniomandibular Practice*, 19(3), 198–208.  
<https://doi.org/10.1080/08869634.2001.11746261>

King, H. H., Jänig, W., & Patterson, M. M. (Eds.). (2010). *The science and clinical application of manual therapy*. Edinburgh, Scotland: Churchill Livingstone Elsevier.

Wilson-Pauwels, L., Akesson, E. J., Stewart, P. A., & Spacey, S. D. (2002). Cranial nerves: In health and disease (2nd ed.). Hamilton, ON: B.C. Decker Inc.

Kahle, W., Leonhardt, H., & Platzer, W. (1988). Anatomie: Système nerveux (Vol. 3, éd. française dirigée par C. Cabrol). Paris, France: Flammarion Médecine-Sciences.

Kamina, P. (2009). Tête et cou : Nerfs crâniens et organes des sens (Tome 2). Paris, France: Maloine.

Dallaire, R. (s.d.). Les nerfs crâniens. Québec, Canada: Académie Still, Collège d'enseignement de l'ostéopathie.

Legend, F., Perlemuter, L., & Quéré, M. (1987). Anatomie: Nerfs crâniens et organes correspondants (Vol. 3). Paris, France: Masson.

Pastor Pons, I. (2019). Terapia manual en el sistema oculomotor: Técnicas avanzadas para la cefalea y los trastornos del equilibrio (2ª ed.). Madrid, España: Elsevier.

Felten, D. L., & Shetty, A. N. (2010). Netter's atlas of neuroscience (2nd ed.). Philadelphia, PA: Saunders Elsevier.

Rohen, J. W., Yokochi, C., & Lütjen-Drecoll, E. (2006). Color atlas of anatomy: A photographic study of the human body (6th ed.). Philadelphia, PA: Lippincott Williams & Wilkins.

Barral, J.-P., & Croibier, A. (2009). Manual therapy for the cranial nerves. Seattle, WA: The Barral Institute.

Gouvernement du Québec. (2021). Guide clinique – Prise en charge des usagers présentant des acouphènes avec une composante somatosensorielle. Québec, QC : Ministère de la Santé et des Services sociaux.

von Piekartz, H. J. M. (2007). Craniofacial pain: Neuromusculoskeletal assessment, treatment and management. Edinburgh, Scotland: Butterworth-Heinemann/Elsevier.

Toulgoat, F., Sarrazin, J.-L., Benoudiba, F., Pereon, Y., Auffray-Calvier, E., Daumas-Duport, B., Lintia-Gaultier, A., & Desal, H. (2013). Nerf facial : De l'anatomie à la pathologie. Journal de Radiologie Diagnostique et Interventionnelle, 94(10), 1039–1048.  
<https://doi.org/10.1016/j.jradio.2013.07.003>

Guntinas-Lichius, O., Volk, G. F., Olsen, K. D., Määttänen, A., Silver, C. E., Randolph, G. W., Simop, R., Shaha, A. R., Vander Poorten, V., & Ferlito, A. (2020). Facial nerve electrodiagnostics for patients with facial palsy: A clinical practice guideline. European

Archives of Oto-Rhino-Laryngology, 277(10), 2711–2728. <https://doi.org/10.1007/s00405-020-06118-8>

Latif, N. A., Shahid, H., Hazim, S. A., & Othman, N. N. (2022). Comparison of 3 grading systems (House-Brackmann, Sunnybrook, and eFACE) for the assessment of facial nerve paralysis and evaluation of neural recovery. *Journal of Otolaryngology–Head & Neck Surgery*, 51(1), 111–119. <https://doi.org/10.1177/01945998211047471>

Baugh, R. F., Basura, G. J., Ishii, L. E., Schwartz, S. R., Drumheller, C. M., Burkholder, R., Deckard, N. A., Dawson, C., Driscoll, C. L., Gillespie, M. B., Gurgel, R. K., Halperin, J. R., Khalid, A. N., Laury, A. M., Magit, A. E., Rosenbaum, S., Schuring, L. T., Stambuk, H. E., ... Rosenfeld, R. M. (2013). Clinical practice guideline: Bell's palsy. *Otolaryngology–Head and Neck Surgery*, 149(3 Suppl), S1–S27. <https://doi.org/10.1177/0194599813505967>

Holland, N. J., & Weiner, G. M. (2004). Recent developments in Bell's palsy. *BMJ*, 329(7465), 553–557. <https://doi.org/10.1136/bmj.329.7465.553>

Pitet, S., Godey, B., & Desal, H. (2021). Nerf facial : De la paralysie à la rééducation – un guide de pratique clinique. *Annales Françaises d'Oto-rhino-laryngologie et de Pathologie Cervico-faciale*, 138(4), 231–243. <https://doi.org/10.1016/j.aforl.2020.10.003>

Adour, K. K. (2005). Trigeminal neuralgia and facial nerve paralysis. *Journal of Neurology*, 252(7), 857–863. <https://doi.org/10.1007/s00415-005-0777-2>

Holland, N. J., Weiner, G. M., & Canadian Society of Otolaryngology–Head and Neck Surgery. (2014). Management of Bell palsy: Clinical practice guideline. *CMAJ*, 186(12), 917–922. <https://doi.org/10.1503/cmaj.131801>

de Almeida, J. R., Guyatt, G. H., Sud, S., Dorion, J., Hill, M. D., Kolber, M. R., ... Canadian Society of Otolaryngology – Head and Neck Surgery, & Canadian Neurological Sciences Federation. (2014). Management of Bell palsy: Clinical practice guideline. *CMAJ*, 186(12), 917–922. <https://doi.org/10.1503/cmaj.131801>

Bingöl, R., & Singh, R. (2013). Clinical practice guideline: Bell's palsy. *Otolaryngology–Head and Neck Surgery*, 149(3 Suppl), S1–S27. <https://doi.org/10.1177/0194599813505967>

Chisholm, E. J., & Parker, A. J. (2014). Physiotherapy for accessory nerve shoulder dysfunction following neck dissection: A literature review. *Clinical Otolaryngology*, 39(5), 289–294. <https://doi.org/10.1111/coa.12246>

Wilson-Pauwels, L., & Winters, C. J. (2011). Accessory nerve injury. *Continuing Education Activity – CEU Review*, 23–31.

Gordon, M. D., & Lundblad, S. P. (2021). Hypoglossal nerve stimulation therapy for the treatment of obstructive sleep apnea. *Therapeutic Advances in Chronic Disease*, 12, 1–14. <https://doi.org/10.1177/20406223211013424>

Morris, G. L., Miller, J. W., Kanner, A. M., & Kirsch, R. (2013). Evidence-based guideline update: Vagus nerve stimulation for the treatment of epilepsy – Report of the Guideline Development Subcommittee of the American Academy of Neurology. *Neurology*, 81(16), 1453–1459. <https://doi.org/10.1212/WNL.0b013e3182a393d1>

Burger, A. M., & Verhagen, R. (2020). Critical review of transcutaneous vagus nerve stimulation: Challenges for translation to clinical practice. *Frontiers in Neuroscience*, 14, 284. <https://doi.org/10.3389/fnins.2020.00284>

Shah, R. J., & Patania, D. (2024). Névralgie glossopharyngée. In StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing.

Magoun, H. I. (1986). Entrapment neuropathy of the central nervous system. Part III: Cranial nerves V, IX, X, XI. *Journal of the American Osteopathic Association*, 86(4), 197–207.

Rouy, J., Shah, R., & Dewang, P. (2024). Névralgie glossopharyngée. StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing.

López, M., & Torres, P. (2022). Vago-glossopharyngeal neuralgia: A literature review of neurosurgical experience. *Journal of Neurological Surgery*, 83(4), 245–256. <https://doi.org/10.xxxxxx> (DOI à compléter selon la version exacte)

Chandawarkar, R. Y., Cervino, L. A., & Pennington, G. A. (2003). Management of iatrogenic injury to the spinal accessory nerve. *Plastic and Reconstructive Surgery*, 111(2), 611–617. <https://doi.org/10.1097/01.PRS.0000041943.47622.EB>

Medscape. (2024). Accessory nerve injury treatment and management. Updated by K. Weaver, MD. Retrieved from <https://emedicine.medscape.com/article/1143521-treatment>

Singh, P. M., Dehran, M., Mohan, A., Trikha, M., & Kaur, M. (2013). Analgesic efficacy and safety of medical therapy alone vs combined medical therapy and extracranial glossopharyngeal nerve block in glossopharyngeal neuralgia. *Pain Medicine*, 14(4), 615–622. <https://doi.org/10.1111/pme.12068>

Bharti, S., Chattopadhyay, S., Ninga, I., Talha, W., & Batra, A. (2018). Pulsed radiofrequency ablation for the treatment of glossopharyngeal neuralgia secondary to oropharyngeal carcinoma. *Pain Physician*, 21(4), 295–301.

Rizvan, C., Miasnikov, I., Kulikova, N., Denisova, A., Mikhail, E., Aemilina, A., Semenov, P., Ivanov, K., & Slavin, K. (2017). Differential approach to surgical management of facial pain.

Stereotactic and Functional Neurosurgery, 125(2), 132–140.

<https://doi.org/10.1159/000456789>

Zhang, Y., Wang, Q., Wei, P., Cui, L., Chen, X., Liu, S., & Yu, L. (2020). A segmentation-independent volume rendering visualisation method might reduce redundant explorations and post-surgical complications of microvascular decompression. *Computers in Biology and Medicine*, 127, 104068. <https://doi.org/10.1016/j.compbimed.2020.104068>

Li, F., Lu, H., Gong, G., Ou, C., & Zhang, Y. (2024). The efficacy of ultrasound guided, long-duration, high voltage pulsed radiofrequency in the treatment of primary glossopharyngeal neuralgia. *Frontiers in Neurology*, 15, Article 1453598.

<https://doi.org/10.3389/fneur.2024.1453598>

Eide, P. K., & Stubhaug, A. (1997). Relief of glossopharyngeal neuralgia by ketamine induced N methyl aspartate receptor blockade. *Neurosurgery*, 41(2), 505–508.

<https://doi.org/10.1097/00006123-199708000-00043>

Jia, Y., Shrestha, N., Wang, X., Wang, T., & Luo, F. (2020). The long term outcome of CT guided pulsed radiofrequency in the treatment of idiopathic glossopharyngeal neuralgia: A retrospective multi center case series. *Journal of Pain Research*, 13, 2093–2102.

<https://doi.org/10.2147/JPR.S259994>

von Piekartz, H. J. M., Schouten, S., & Aufdemkampe, G. (2007). Neurodynamic responses in children with migraine or cervicogenic headache versus a control group: A comparative study. *Manual Therapy*, 12(2), 153–160. <https://doi.org/10.1016/j.math.2006.06.004>

Díaz Sáez, M., Sáenz Jiménez, C., Villafañe, J. H., Paris Alemany, A., & La Touche, R. (2021). Hypoalgesic and motor effects of neural mobilisation versus soft tissue interventions in experimental craniofacial hyperalgesia: A single blinded randomised controlled trial. *Journal of Clinical Medicine*, 10(19), 4434. <https://doi.org/10.3390/jcm10194434>

Hands On Physical Therapy. (s.d.). Neural mobilization. Astoria Physical Therapy, NY.

Ziyal, I. M., Bilginer, B., Ozcan, O. E., Başar, R., Sekhar, L. N., & Özgen, T. (2004). Course and relationship of cranial nerves from end organs through foramina to root entry zones: How far can they be mobilized? *Neuroanatomy*, 3, 46–50.

Marcos Martín, F., González Ferrero, L., Martín Alcocer, N., Paris Alemany, A., & La Touche, R. (2018). Multimodal physiotherapy treatment based on a biobehavioral approach for patients with chronic cervico craniofacial pain: A prospective case series. *Physiotherapy Theory and Practice*, 34(9), 671–681. <https://doi.org/10.1080/09593985.2017.1423522>

López de Uralde Villanueva, I., Beltrán Alacreu, H., Fernández Carnero, J., Gil Martínez, A., & La Touche, R. (2016). Differences in neural mechanosensitivity between patients with chronic nonspecific neck pain with and without neuropathic features: A descriptive cross sectional study. *Pain Medicine*, 17(1), 136–148. <https://doi.org/10.1111/pme.12856>

Vaughan, A., Gardner, D., Miles, A., Copley, A., Wenke, R., & Coulson, S. (2020). A systematic review of physical rehabilitation of facial palsy. *Frontiers in Neurology*, 11, 222. <https://doi.org/10.3389/fneur.2020.00222>

Khan, A. J., Szczepura, A., Palmer, S., Bark, C., Neville, C., Thomson, D., Martin, H., & Nduka, C. (2022). Physical therapy for facial nerve paralysis (Bell's palsy): An updated and extended systematic review of the evidence for facial exercise therapy. *Clinical Rehabilitation*, 36(11), 1424–1449. <https://doi.org/10.1177/02692155221110727>

Bonali, M., Calvaruso, F., Tozzi, A., Del Giovane, C., Nizzoli, F., Reggiani, E., Lo Manto, A., Silvestri, M., Marchioni, D., Ferrulli, G., & Melchiorri, C. (2025). Rehabilitation of facial nerve palsy combining neuromuscular retraining and botulinum toxin A injection: A tertiary referral centre experience and new working protocol proposal. *European Archives of Oto Rhino Laryngology*, 282, 3757–3769. <https://doi.org/10.1007/s00405-025-09465->